



Hard Landscaping.

- New block paved access / trims.
- Existing block paved access.
- Existing block paved access to be extended to suit new layout, blocks to match existing.
- Existing Macadam.
- New areas of Macadam.

Soft Landscaping.

- Shrubs.
- Existing Landscaping to be retained.
- Proposed Tree.
- Existing Tree to be retained.
- Existing Tree to be removed.

NOTES:
 Ornamental and ground cover shrubs to be 2 / 3 litre stock, planted at a density of 3 to 5 No. plants/m² depending on species.
 Specimen plants as indicated.
 Any planting within 'Vegetation Splay' shall be maintained below 600mm in height.
 All shrub areas to be mulched to a depth of 50mm with 'Makout Ornamental Bark Mulch' (ref. product code 5020).

HEALTH & SAFETY INFORMATION

- To be read in conjunction with Viewpoint's Designer Hazard Identification Checklist - Risk Assessment for existing & proposed services positions see architects & engineers drawings. In addition to the hazards and risks normally associated with the type of construction work, the following risks should be noted:
- Highway adjacent to the site:
 Hoarding required to protect pedestrians & vehicles within the highway.
 Oversight of plant & machinery is strictly prohibited without the prior agreement of the local authority.
 - Existing services within the site:
 In areas to be excavated, the contractor is to locate services prior to construction, by hand digging.
 - Existing services adjacent to site:
 In areas to be excavated, the contractor is to locate services prior to construction, by hand digging.

B	Minor amendments to base plan.	28-03-2018	C.M.H.	S.B.
A	Issued for approval.	07-03-2018	C.M.H.	S.B.

viewpoint associates llp
 landscape, environmental & horticultural consultants
 Jokersfield Grange, Jokersfield, Partridge Green, West Sussex, RH13 8JF
 Tel: 01403 715001
 Web: www.viewpoint.co.uk
 E-mail: info@viewpoint.co.uk

Client:
Village Hotels

Title:
**Pamir Drive, Ashton Moss
 Layout showing proposed
 hard & soft landscape general
 arrangements.**

Drawn By:	Date:	Do Not Scale If In Doubt Ask	
C.M.H.	07-03-2018		
Checked By:	Date:	Scale:	
S.B.	07-03-2018	@A1 1:200	

Drawing No. **1506d-01** Revision. **B**